



The new
SEAT Ibiza.




Your technical bit.

Data & equipment.

At SEAT Service, we offer comprehensive inspections by skilled professionals based on the age and mileage of your car.

You'll be assured that your vehicle is in optimal condition, as our professionals perform all the services included in the SEAT Maintenance Programme – using only SEAT Genuine parts.



The technical bit.

Safety	Reference	Style	Xcellence	FR
Tool kit	●	●	●	●
iSOFIX + Top Tether Anchors inside rear seats	●	●	●	●
Height adjustable rear headrests	●	●	●	●
Rear drum brakes ¹	●	●	●	-
Rear disc brakes ¹	-	-	-	●
Three points front safety belts	●	●	●	●
Three points rear safety belts	●	●	●	●
Central locking system	●	●	●	●
2 foldable keys with remote control function	●	●	●	●
Power locking with remote control	●	●	-	●
Central locking system "Keyless Entry" without Safelock	-	-	●	-
Rear Park Assist ²	○	○	●	○
Easy Pack³: Adaptive Cruise Control and speed limiter without "follow-to-stop" Central locking system "Keyless Entry" without SAFELOCK Forward collision warning including autonomous emergency braking, for adaptive cruise control "high" Tiredness Recognition	-	○	-	○
Easy Pack with safe⁴: Adaptive Cruise Control and speed limiter without "follow-to-stop" Central locking system "Keyless Entry" with SAFELOCK Forward collision warning including autonomous emergency braking, for adaptive cruise control "high" Tiredness Recognition	-	○	○	○
Security Pack: Central locking with radio remote control, interior controls and SAFELOCK ⁵ Anti-theft alarm system, interior monitoring, backup horn, and towing protection	○	○	○	○
Vision Pack: Park distance control (front and rear)	-	○	○	○
Vision Plus Pack: Park distance control (front and rear) Rear view camera	-	○	○	○

● Standard
○ Optional
- Not available

¹ Only for engines with more than 100 HP.

² Requires ESC system.

³ Not compatible with 1.0 MPI & 1.6 MPI.

⁴ Requires alarm. Not compatible with 1.0 MPI nor 1.6 MPI engines.

⁵ For Xcellence maintains the Keyless Entry with SAFELOCK.

⁶ Includes reading lights in ceiling. Requires Radio with Bluetooth®. Not compatible with TGI engine.

⁷ Not compatible with TGI engine.

⁸ Only available for Beats audio. Not compatible with CNG.

⁹ Fog lamps frame painted: Xcellence: Atom grey, FR: Brilliant black.

¹⁰ Without cornering function.

¹¹ Requires Spare Wheel. Not compatible with 40 H and CNG engines.

¹² From week 48/18 with Greenhouse in Black. Only available for Engines > 100 HP. Not compatible with CNG engines.

Safety	Reference	Style	Xcellence	FR
Safety Pack: (EU28) Three rear head restraints Side airbag in front, with curtain airbag Hill hold control Windshield wiper intermittent control with photosensor Forward collision warning including autonomous emergency braking, without adaptive cruise control Seat belt reminder, electric contact in the buckle, advanced safety equipment Indirect Tyre pressure monitoring system Driver and front passenger airbag with passenger airbag deactivation 3-point seat belts, outer rear with ECE label Separate daytime running lights with automatic headlight activation Board computer Speed limiter without cruise control system Three points front safety belts Electronic stability control (ESC)	●	●	●	●
Exterior				
Standard roof	●	●	●	●
Panoramic sunroof ⁶	○	○	○	○
Exterior door handles and exterior mirror case in black	●	-	-	-
Standard windows	●	●	●	●
Body-colored bumpers	●	●	●	-
FR sport bumpers	-	-	-	●
Upper front grill in glossy black	●	-	-	-
Upper front grill in chrome	-	●	●	●
Reference 14" steel wheels	●	-	-	-
Urban 15" 20/1 steel wheels	○	●	-	-
Enjoy 15" 20/1 alloy wheels	○	○	●	-
Design 16" 20/1 alloy wheels	-	○	-	-
Design 16" 20/3 Machined alloy wheels	-	-	○	-
Dynamic 17" 20/1 Machined alloy wheels	-	-	○	-
Dynamic 17" 20/2 alloy wheels	-	-	-	●
Performance 18" 20/1 alloy wheels	-	-	-	○
All season tyres + 15" steel wheels	○	○	-	-

Exterior	Reference	Style	Xcellence	FR
All season tyres + 15" alloy wheels	○	○	○	-
Standard wheel bolts	●	●	●	●
Wheel bolts with anti-theft protection (unlockable)	○	○	○	○
Spare wheel with original steel wheel size ⁷	○	○	○	-
Reduced spare wheel 14" ⁷	○	○	○	○
Reduced spare wheel 15" ⁷	-	○	○	○
Emergency spare wheel (minimized) - 18" ⁸	-	○	○	○
Twin halogen headlights with halogen Daytime Running Lights	●	●	-	-
Twin halogen headlights with LED Daytime Running Lights	-	-	●	●
Halogen Taillights	●	●	-	-
LED Taillights	-	-	●	●
Rear fog light	●	●	●	●
Front fog lamps with cornering function ⁹	○	○	●	●
Standard license plate lighting	●	●	●	●
Full Front LED lights + Rear LED + Licence plate LED + Interior Ambient Light ¹⁰	-	○	-	-
Full Front LED lights + Licence plate LED ¹¹	-	-	○	○
Towing device ¹¹	○	○	○	○
Towing device preparation	○	○	○	○
Car film protection	○	○	○	○
Red Pack¹²: 3-point seat belts, outer rear in Red Disk brakes in front (Geomet D) Disk brakes in rear 3-point seat belts in front in Red Center rear 3-point seat belt in Red	-	-	-	○
Light Pack: Interior light in footwell and Central Console Interior ambient lighting Twin halogen headlights with LED Daytime Running Lights LED taillights	-	○	-	-

Exterior	Reference	Style	Xcellence	FR
Summer Pack : Side windows in heat-insulating glass Dark tinted windows Bright moldings ¹³	-	○	○	○
Interior				
Basic steering wheel	●	-	-	-
Leather multi-function steering wheel ¹⁴	-	●	●	●
Left-hand drive vehicle	●	●	●	●
Right hand drive	○	○	○	○
Reference seats	●	-	-	-
Style seats	-	●	-	-
Xcellence seats	-	-	●	-
FR seats	-	-	-	●
Foldable rear seats (Not splitting)	●	-	-	-
Split and foldable rear seats	○	●	●	●
Luggage pockets on backrest front seats	-	-	●	-
Removable seat covers	-	○	○	-
Height adjustable driver seat	●	●	-	-
Height-adjustable front seats (Driver and Co-Driver)	-	-	●	●
Chrome Pack High	-	-	●	●
Door panels in PVC	●	●	-	-
Interior door and side trim panel with textile and decorative moulding	-	-	●	-
Leatherette PAD ¹⁵	-	-	○	●
Standard mouldings	-	●	-	-
Bright mouldings	-	-	●	●
Standard dashboard	●	●	-	-
Smoker Pack	○	○	○	○
Foldable trunk cover	●	●	●	●
Basic gearshift knob	●	-	-	-
Leather gearshift knob	-	●	●	●
Basic handbrake	●	●	-	-
Leather handbrake	-	-	●	●

● Standard
○ Optional
- Not available

¹³ For Style includes chromed waist moulding.

¹⁴ With "X" pin for Xcellence and "FR" pin for FR.

¹⁵ Requires Gloss Pack until week 40/18.

¹⁶ Not available with AM Beats.

¹⁷ Not compatible with TGI engine.

¹⁸ Requires Pack EU28.

¹⁹ Is glossy black until week 39. From week 40 Ice Metal. Requires leatherette PAD.

Interior	Reference	Style	Xcellence	FR
Board computer Plus	-	●	●	●
Storage Pack¹⁶: Front center armrest Drawer under left front seat	-	○	●	○
Double floor Pack¹⁷: Drawers under front seats Mounting fixture in luggage compartment Plane rear cargo area	-	○	○	○
Luxe Pack¹⁸: Comfort seats in front Dinamic black seats Interior door side trim panel with textile + Dashboard in simil leather Three rear head restraints Luggage pockets on backrest front seats Without tie down straps/net/pocket	-	-	○	○
Gloss Pack¹⁹: Door pannel in Glossy black	-	-	○	-
Leather Pack: Leather hand brake Chrome pack High Leather gearshift knob Leather multi-function steering wheel with "X" pin	-	○	-	-
Color and Trim Style: Style Comfort seats Driver sunvisor with mirror and car-holder Chrome pack basic Door handles and mirror case painted Upper front grill frame chromed	-	●	-	-
Color and Trim Xcellence: Net on central console passenger Chromed side window frame Driver sunvisor with mirror and card-holder Dashboard Colour and Trim. High Trims Front decorative inserts in fog lamps frame Door handles and mirror case in body colour Upper front grill frame chromed Aluminium Door step with "Xcellence" engraving Xcellence seats Chromed instrument pannel Gear-knob decorative inserts / Bag stitching in Mystic Greenhouse black	-	-	●	-

Interior	Reference	Style	Xcellence	FR
Color and Trim FR: Painted side window frame Brilliant black Rear spoiler FR Driver sunvisor with mirror and car-holder Net on central console passenger Upper front grill frame chromed Door handles and mirror in body colour FR logo Front decorative inserts in fog lamps frame Chromed instrument pannel Gear-knob decorative inserts /Bag stitching in Mystic FR sports seats	-	-	-	●

Electronics	Reference	Style	Xcellence	FR
Electrically adjustable door mirrors	●	●	-	-
Electrically adjustable and heated door mirrors	-	-	●	●
Front power windows	●	●	●	●
Rear power windows	○	○	○	○
Windshield wiper with intermittent control and potentiometer (four speeds)	●	●	●	●
Rear window wiper and washer system with intermittent control	●	●	●	●
Dimming interior rear view mirror	●	●	●	●
Electronic vehicle immobilization device	●	●	●	●
Single-tone horn	●	●	●	●
Manually controlled heating system	●	-	-	-
Manually controlled air conditioning	○	●	●	●
Dust and pollen filter	-	●	●	●
Front reading lights on driver and co-driver	-	●	●	●
Interior light in footwell, Central Console and Door panel	-	-	●	●
6 speakers	-	●	●	●
AUX-in jack and 1 USB port	-	●	●	●
Entry radio (Generation 2)	-	●	●	●
Bluetooth®	-	●	●	●
Car stereo preinstallation + antitheft roof antenna	-	●	●	●
Full Link	-	○	○	○
Fully Digital Cluster	-	●	●	●
Wireless with MirrorLink™ ²⁰	-	○	○	○
Wireless without MirrorLink™ ²⁰	-	○	○	○
DAB - Digital radio ²¹	○	○	○	○
BeatsAudio™ ²²	-	○	○	○
Connectivity Box without GSM Amplifier	-	○	○	○
Connectivity Box with GSM Amplifier	-	○	○	○
Navigation Maps	○	○	○	○
Navigation Maps with Mapcare	○	○	○	○
SEAT Drive Profile ²³	-	○	○	●

● Standard
○ Optional
- Not available

²⁰ Requires Connectivity Plus Pack.

²¹ Requires Infotainment system.

²² Not compatible with CNG engine.

²³ Not compatible with 1.0 MPI, 1.6 MPI Engines.
Not compatible with CNG engines.

²⁴ Requires Multifunction steering wheel and Safety Pack.

²⁵ Serie in CNG engine.

²⁶ Includes 1 SD Card + 1 CD player in Glovebox.

Electronic	Reference	Style	Xcellence	FR
Driver Pack²⁴: Tiredness Recognition System Cruise Control	○	○	●	●
Spring Pack: Exterior mirrors, power-folding and power-adjustable and heated Climatronic with Air-care filter Breakaway interior rear view mirror, auto-dimming Fresh air intake system with combination filter Separate daytime running lights with automatic headlight activation and Coming Home feature Windshield wiper intermittent control with light and rain sensor	-	○	○	○
Cool and Sound: Entry radio (Gen2) 4 speakers Car stereo preinstallation + antitheft roof antenna External, AUX-in jack, USB type A, 1x USB socket Bluetooth® Dust and pollen filter Manually controlled air conditioning Board computer plus Multi-function steering wheel	○	-	-	-

Electronic	Reference	Style	Xcellence	FR
Connect Pack²⁵: Entry radio (Gen2) 4 speakers Car stereo preinstallation + antitheft roof antenna External, AUX-in jack, USB type A, 1x USB socket Bluetooth® Board computer plus Multi-function steering wheel	○	-	-	-
Connectivity Plus Pack²⁶: 6 speakers Media System Plus 8" Black panel AUX-in jack and 2 USB ports Navigation system - Standard Antenna for AM/FM reception, "diversity" Bluetooth® Voice control Board computer plus Multi-function steering wheel	-	○	○	○
Winter Pack: Electrically adjustable and heated door mirrors Seat heater for front seats separately controlled Height-adjustable front seats (Driver and Co-Driver) Heated washer nozzles in front	○	○	○	○

Accessories.

Performance

Diamond Cut in Piano Black 18" alloy wheel	6F0071498
Hub cap - Desire Red	6F0071409C OX1
Hub cap - Mystery Blue	6F0071409C W5L
Diamond Cut in Piano Black 17" alloy wheel	6F0071497
Diamond Cut in Sport Black 18" alloy wheel	6F0071498D 10V
Center insert - Silver	6F0071409D
Center insert - Desire Red	6F0071409B
Center insert - Mystic Magenta	6F0071409A
Center insert - Mystery Blue	6F0071409
Diamond Cut in Cosmo Grey 17" alloy wheel	6F0071497G 67E
Anti-theft screws for rims	000071510A
Front styling kit	6F0071606 GRU
Side skirts	6F0071685 GRU
Rear Bumper Diffuser	6F0071611 9B9
Rear Spoiler	6F0071640 GRU

Exterior

Chromed hatchback moulding	6F0071360
Black hatchback moulding	6F0071360A
Exterior mirror covers - Piano Black	6F0072530 041
Exterior mirror covers - Desire Red	6F0072530 OX1
Exterior mirror covers - Mystic Magenta	6F0072530 S4Y
Exterior mirror covers - Mystery Blue	6F0072530 W5L

Interior

Additional interior mirror	000084418A
Interior mirror - Black	6F0072540 041
Interior mirror - Desire Red	6F0072540 OX1
Interior mirror - Mystic Magenta	6F0072540 S4Y
Interior mirror - Mystery Blue	6F0072540 W5L
Internal mirror electrochromed - Black	6F0072540A 041
Internal mirror electrochromed - Desire Red	6F0072540A OX1
Internal mirror electrochromed - Mystic Magenta	6F0072540A S4Y
Internal mirror electrochromed - Mystery Blue	6F0072540A W5L
Center console mats "Barcelona streets" - Set of 4 mats	6F0061169
Center console mats "Barcelona streets" - Set of 3 mats	6F0061169A
Arm rest - leather	6F0061123 XU2
Arm rest - fabric	6F0061123 LI8
Spherical cup holder	1SLO61129A
Net between seats - Black	6F0017221A

Interior

Net between seats - Desire Red	6F0017221B OX1
Net between seats - Mystic Magenta	6F0017221B S4Y
Net between seats - Mystery Blue	6F0017221B W5L
Foil side sills	6F0071310
Illuminated side sills	6J0071691C
Side sun shades	6F0064365
Rear sun shades	6F0064365A
Espresso machine	000069641

Sport customisation

Steering wheel	6F0072390 OX1
Gear knob 5 sp	6F0064230 OX1
Gear knob 6 sp	6F0064230A OX1
Key cover	6F0087013C
Pedals	6F0064200 OX1
Footrest	6F0071750A OX1
Floor mats	6F1863011C LOE
Floor mats (Right hand drive vehicles)	6F2863011C LOE
Inox side sills	6F0071691
Exterior sticker	6F0071316C

Urban Tech customisation

Steering wheel	6F0072390 W5L
Gear knob 5 sp	6F0064230 W5L
Gear knob 6 sp	6F0064230A W5L
Key cover	6F0087013B
Pedals	6F0064200 W5L
Footrest	6F0071750A W5L
Floor mats	6F1863011B LOE
Floor mats (Right hand drive vehicles)	6F2863011B LOE
Inox side sills	6F0071691A
Exterior sticker	6F0071316B

Trend customisation

Steering wheel	6F0072390 S4Y
Gear knob 5 sp	6F0064230 S4Y
Gear knob 6 sp	6F0064230A S4Y
Key cover	6F0087013A
Pedals	6F0064200 S4Y
Footrest	6F0071750A S4Y

Trend customisation

Floor mats	6F1863011A LOE
Floor mats (Right hand drive vehicles)	6F2863011A LOE
Inox side sills	6F0071691B
Exterior sticker	6F0071316A

Transport

Surf rack	000071120HA
Ski rack - 4 pairs	000071129S
Ski rack - 6 pairs	000071129T
Ski rack xtender	000071129R
Load-Stop rack	000071223
Roof box - 400l	000071200T
Roof box - 420l	000071200AB
Roof box - 450l	000071180A
Roof Bars	6F0071151 - 6F0071151A
Bike rack	5F9071128
Electric kit with pre-installation	6F0055204
Electric kit without pre-installation	6F1055204A
Electric kit without pre-installation (Right hand drive vehicles)	6F2055204A
Tow bar bike rack for 2 bikes	000071128K
Kit 3 rd bike extension	000071128J
Tow bar bike rack	000071128H
Tow bar	6F0803881
Towing bike rack	000071128G
Towing ski rack	000071129L

Protection

Front mud flaps	6F0075111
Rear mud flaps	6F0075101
Tyre cover	000071770C
Black car cover	6F0061701A
White car cover	6F0061701
Rear bumper protective film	6F0071363
Key cover - FR	000087013AE
Key cover - SEAT Logo	000087013AF
Key cover - CUPRA	000087013AJ
Rubber mats	6F1061500 041
Rubber mats (Right hand drive vehicles)	6F2061500 041
Textile mats Trail	6F1061675 041
Textile mats Serie	6F1863011 LOE

Protection

Textile mats Serie (Right hand drive vehicles)	6F2863011 LOE
Textile mats Velpic®	6F1061675A 041
Boot organiser	575061205A
Separation grille	6F0017221
Foam boot tray	6F0061180
Semi rigid boot tray	6F0061180A
Reversible boot mat without double level	6F0061210
High walls boot tray	6F0061201
Seat belt pad	000069629B
Ice scrapper	000096010C - 000096010D

Infotainment

GPS Ultra	000051818CG
Holder with magnetic suction cup	000051991K
Nextbase 101 Elite	000054731A
Parrot® MiniKit Neo 2 HD - Black	000051473AE041
Start 42 EU 23 countries (Lifetime maps)	000051818AQ
Start 62 EU 45 (Lifetime maps)	000051818CE
GO 520 EU 45 (Lifetime maps)	000051818CJ
GO 620 EU 45 (Lifetime maps)	000051818CK
GO 5200 EU 45 (Lifetime maps)	000051818CL
GO 6200 EU 45 (Lifetime maps)	000051818CM
Twonav Anima+ GPS	000051818CH
Universal magnetic mount	000061129F
Navlet 7i Full Hd Tablet + GPS	000063500M
SEAT Full Link	5F0054830
Tetrax XWAY	000096320GMAAA
Tetrax SMART	000096320GMAAB
Tetrax FIX	000096320GMAAC
Inductive charger	000051763Q
Charging cable for iPhone® and Android smartphones	000051444AK

Security

iSOFiX Duo Plus	000019909G
SEAT PEKE G1 I-Size Trifix	000019909F
SEAT PEKE Peke GO I-Size Plus	000019907A
iSOFiX Baby-safe Plus SHR II	000019907B
Child safety Kidfix XP	000019906M
Top Tether Safety Belt	3R0019900
9,900 mAh battery jump starter	000051763F
15,000 mAh battery jump starter + charger	000051763H
Warning triangle	000093056A
2 Emergency triangle pack	000093600C
Fluorescent vest	000093056J
Safety Pack (triangles + vest)	000093990R
Triangle fastening support	6K0860265
First-aid kit	6L0093000
Safety dog harness - Size XL	000084310B
Safety dog harness - Size L	000084310C
Safety dog harness - Size M	000084310D
Safety dog harness - Size S	000084310E
Help flash	000052122A
Kaza live alert smartwatch	000054635E
Tiredness recognition system	6F0060884

Snow chains:

Autosock (185/70 R14)	000091375AE
Autosock (185/65 R15)	000091375AE
Autosock (195/55 R16)	000091375AE
Autosock (215/45 R17)	000091301B
Autosock (215/40 R18)	000091301B
Turisport (185/70 R14)	000091303C
Turisport (185/65 R15)	000091303D
Easygrip (185/70 R14)	000091375H
Easygrip (185/65 R15)	000091375G
Easygrip (195/55 R16)	000091375EM

Maintenance

Insect remover	000096320FRABH
Interior cleaner	000096320FRABK
Dashboard Cleaner	000096320FRABM
300ml concentrated shampoo	000096320GFAAB
300ml windscreen wash	000096320GFAAD

Maintenance

Summer maintenance kit	000096354B
Winter maintenance kit	000071980BPADA
Touch-up pencil Candy White	000098500L B9A
Touch-up pencil Mediterranean Blue	000098500LMS11
Touch-up pencil Mystic Magenta	000098500LMS4Y
Touch-up pencil Eclipse Orange	000098500LMW2Y
Touch-up pencil Mystery Blue	000098500LMW5L
Touch-up pencil Desire Red	000098500LMOX1
Touch-up pencil Urban Silver	000098500LMZ7G
Touch-up pencil Pirineos Grey	000098500LMX7R
Touch-up pencil Magnetic Tech	000098500LMS7H
Touch-up pencil Midnight Black	000098500LMY9T
Touch-up pencil Nevada White	000098500LMS9R

Child car seats

	Age (approximate)
SEAT PEKE Peke GO I-Size Plus	Up to 15 months
iSOFiX BABY-SAFE PLUS SHR II	Up to 15 months
SEAT PEKE G1 I-Size Trifix	9 months to 4 years
iSOFiX Duo Plus	9 months to 4 years
Child safety Kidfix XP	4 to 12 years

Engine specs.

Please remember that homologated CO₂ emission values and vehicles can't be communicated before you receive the commercial release bulletin, uploaded to CAP by Product Marketing department. You will find the homologated CO₂ values in the technical specification sheets, uploaded as well to CAP.

Engine	1.0 MPI 65 HP (48 kW) Start/Stop	1.0 MPI 80 HP (59 kW) Start/Stop	1.0 EcoTSI 95 HP (70 kW) Start/Stop
Cylinder/Valve (total)	3/12	3/12	4/16
Displacement (cc)	999	999	1598
Cylinder bore and stroke (mm)	74.5x76.4	74.5x76.4	76.5x86.9
Compression ratio	12.5	10.5	10.5
Maximum power (kW [HP]/rpm)	48 (65)/5,000-6,000	59 (80)/6,200	70 (95)/5000-5500
Maximum torque (Nm/rpm)	95 / 3,000-4,300	95/3,000-4,300	155/3,800-4,000
Fuel supply system	Multipoint injection	Multipoint injection	TSI-Direct Injection
Ignition	Positiv Ignition (Electronic map-controlled ignition)		
Atmospheric/Supercharged	Natural aspirated	Natural aspirated	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95
Oil capacity in initial fill (l)	4.3	4.3	4.3
Alternator [A]	110A (8GD/ 8GG)	110A (8GD/ 8GG)	110A (8GG)
Battery (Ah/A)	59 Ah (JOS)	59 Ah (JOS)	59 Ah (JOS)

Performance

Maximum speed (km/h)	162 (5°)	172 (4°)	182 (°)
Acceleration 0-80 km/h (s)	9.9	9.3	7.2
Acceleration 0-100 km/h (s)	15.2	14.7	10.9
Acceleration 80-120 km/h (s)	23.5	17.1	10.9
Acceleration 1000 m (s)	36.6	35.9	32.8

Fuel consumption

Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-

CO₂ mass emission

CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-

Transmission

Gearbox type		MQ200-5F	MQ200-5F	MQ200-5F
Ratios	I	3.769	3.769	3.769
	II	1.955	1.955	1.955
	III	1.212	1.281	1.281
	IV	0.881	0.927	0.927
	V	0.740	0.740	0.740
	VI	-	-	-
	VII	-	-	-
	R	3.454	3.181	3.181

Transmission	1.0 MPI 65 HP (48 kW) Start/Stop	1.0 MPI 80 HP (59 kW) Start/Stop	1.0 EcoTSI 95 HP (70 kW) Start/Stop
Group 1 ratio	4.929	4.929	3.625
Group 2 ratio	-	-	-
Group 3 ratio	-	-	-
Speed 1000 rpm in IV/V/VI/VII (km/h)	-	-	33.6/42.1

Chassis

Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]		
Steering System	C-EPS (Column Electric Power System)		
Turning diameter (m)	10.6		
Brake system	ESC Standard (including HHC, EBA, TCS, EDS, RKA, XDS), ABS Option for no EU6 Motor		
Front/Rear brake type	Ventilated front brakes/Drum-Disc brakes in rear axle		
Front brakes (mm)	Ø 256x22	Ø 256x22	Ø 256x22
Rear brakes (mm)	TB 203x38	TB 228x42	TB 228x42

Wheels

Rims	5Jx14 ET38 5.5Jx15 ET40 6.5Jx16 ET47 7Jx17 ET51 7Jx18 ET51	5Jx14 ET38 5.5Jx15 ET40 6.5Jx16 ET47 7Jx17 ET51 7Jx18 ET51	5Jx14 ET38 5.5Jx15 ET40 6.5Jx16 ET47 7Jx17 ET51 7Jx18 ET51
Tyres	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL

Dimensions

Body type	5D
Length/width/height (mm)	4,059/1,780/1,444
Wheelbase (mm)	2,564
Track front/rear (mm)	1,525/1,505
Boot capacity (l)	355
Fuel tank capacity (l)	40

Weights

In running order with driver (kg)	1,091	1,099	1,134
Maximum weight with driver (kg) Front/Rear	650/441	651/448	683/451
Maximum weight allowed (kg)	1,510/1,530/ 1,570/1,610*	1,520/1,530/1,570/1,610*	1,550/1,640
Maximum weight without brake (kg)	540	580	560
Maximum weight w/brake 8% (kg)	1,000	1,000	1,100
Maximum weight w/brake 12% (kg)	800	800	1,000

*MMTA varies according to trim.

Engine specs.

Please remember that homologated CO₂ emission values and vehicles can't be communicated before you receive the commercial release bulletin, uploaded to CAP by Product Marketing department. You will find the homologated CO₂ values in the technical specification sheets, uploaded as well to CAP.

Engine	1.0 EcoTSI 115 HP (85 kW) Start/Stop DQ Start/Stop	1.5 EcoTSI 150 HP (110 kW) Start/Stop	1.0 TGI 90 HP (66 kW) Start/Stop
Cylinder/Valve (total)	3/12	4/16	3/12
Displacement (cc)	999	1498	999
Cylinder bore and stroke (mm)	74.5×76.4	74.5×85.9	74.5×76.4
Compression ratio	10.5	10.5	10.5
Maximum power (kW [HP]/rpm)	85 (115)/5,000-5,500	110 (150)/5,000-6,000	66 (90)/4,500-5,800
Maximum torque (Nm/rpm)	200/2,000-3,500	250/1,500-3,500	160/1,900-3,500
Fuel supply system	TSI-Direct Injection	TSI-Direct Injection	TSI-Direct Injection/ TGI mode: Multipoint injection
Ignition	Positiv Ignition (Electronic map-controlled ignition)		
Atmospheric/Supercharged	Turbo charged	Turbo charged	Turbo charged
Fuel type	ROZ 95	ROZ 95	ROZ 95/TGI
Oil capacity in initial fill (l)	4.3	4.8	4.3
Alternator (A)	110A (8GG)	110A (8GG)	110A (8GG)
Battery (Ah/A)	59 Ah (JOS)	59 Ah (JOS)	59 Ah (JOS)
Performance			
Maximum speed (km/h)	195 [5°] 193 [6°]	215 [5°]	177 [5°]
Acceleration 0-80 km/h (s)	6.4 6.5	5.6	7.9
Acceleration 0-100 km/h (s)	9.3 9.5	7.9	12.1
Acceleration 80-120 km/h (s)	10.9 11	9.1	19.4
Acceleration 1000 m (s)	30.8 31.4	30.6	34
Fuel consumption			
Urban (l/100 km)	-	-	-
Extra urban (l/100 km)	-	-	-
Combined (l/100 km)	-	-	-
CO₂ mass emission			
CO ₂ Urban (g/km)	-	-	-
CO ₂ Extra Urban (g/km)	-	-	-
CO ₂ Combined (g/km)	-	-	-
Transmission			
Gearbox type	MQ200-6F DQ200-7F	MQ250-6F	MQ200-5F
Ratios	I 3.769 3.765	3.778	3.769
	II 1.955 2.273	2.118	1.955
	III 1.281 1.531	1.360	1.281
	IV 0.973 1.122	1.029	0.881
	V 0.778 1.176	0.857	0.673
	VI 0.642 0.951	0.733	-
	VII - 0.795	-	-
	R 3.181 4.168	3,600	3.181

Transmission	1.0 EcoTSI 115 HP (85 kW) Start/Stop DQ Start/Stop	1.5 Eco TSI 150 HP (110 kW) Start/Stop	1.0 TGI 90 HP (66 kW) Start/Stop
Group 1 ratio	3.789 4.438	3.389	3.933
Group 2 ratio	- 3.227	-	-
Group 3 ratio	- 4.173	-	-
Speed 1000 rpm in IV/V/VI/VII (km/h)	31.0/38.7/47.0 22.9/30.1/37.2/44.5	32.7/39.3/45.9	32.6/42.7/ - / - /
Chassis			
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]		
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]		
Steering System	C-EPS [Column Electric Power System]		
Turning diameter (m)	10.6		
Brake system	ESC Standard (including HHC, EBA, TCS, EDS, RKA, XDS), ABS Option for no EU6 Motor		
Front/Rear brake type	Ventilated front brakes / Drum-Disc brakes in rear axle		
Front brakes (mm)	Ø 276×24	Ø 276×24	Ø 256×22
Rear brakes (mm)	Ø 230×9	Ø 230×9	TB 228×42
Wheels			
Rims	5J×14 ET38 5.5J×15 ET40 6.5J×16 ET47 7J×17 ET51 7J×18 ET51	5J×14 ET39 5.5J×15 ET40 6.5J×16 ET47 7J×17 ET51 7J×18 ET51	5J×14 ET39 5.5J×15 ET40 6.5J×16 ET47 7J×17 ET51 7J×18 ET51
Tyres	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL
Dimensions			
Body type	5D		
Length/width/height (mm)	4,059/1,780/1,444		
Wheelbase (mm)	2,564		
Track front/rear (mm)	1,525/1,505		
Boot capacity (l)	355 (TGI 262)		
Fuel tank capacity (l)	40		
Weights			
In running order with driver (kg)	1,149 1,172	1,184	1,239
Maximum weight with driver (kg) Front/Rear	700 / 449 724 / 448	736/448	678/561
Maximum weight allowed (kg)	1,570/1,660 1,590/1,680*	1,600/1,620/1,660/1,70	1,640*
Maximum weight without brake (kg)	570 580	590	-
Maximum weight w/brake 8% (kg)	1,200	1,200	-
Maximum weight w/brake 12% (kg)	1,100	1,200	-

*MMTA varies according to trim.

Engine specs.

Please remember that homologated CO₂ emission values and vehicles can't be communicated before you receive the commercial release bulletin, uploaded to CAP by Product Marketing department. You will find the homologated CO₂ values in the technical specification sheets, uploaded as well to CAP.

Engine	1.6 TDI 80 HP [59 kW] Start/Stop	1.6 TDI 95 HP [70 kW] Start/Stop DQ
Cylinder/Valve (total)	4/16	4/16
Displacement (cc)	1598	1598
Cylinder bore and stroke (mm)	79.5×80.5	79.5×80.5
Compression ratio	16.2	16.2
Maximum power (kW [HP]/rpm)	59 [80]/2,700-4,800	70 [95]/2,750-4,600
Maximum torque (Nm/rpm)	230/1,400-2,400	250/1,500-2,600
Fuel supply system	Direct injection: Common Rail	
Ignition	Compressed ignition	Compressed ignition
Atmospheric/Supercharged	Turbo charged	Turbo charged
Fuel type	Diesel	Diesel
Oil capacity in initial fill (l)	5	5
Alternator (A)	110A /140A (8GG/8GU)	110A /140A (8GG/8GU)
Battery (Ah/A)	70Ah (JOV)	70Ah (JOV)
Performance		
Maximum speed (km/h)	169 [4 ^a]	182 [4 ^a] 181 [6 ^a]
Acceleration 0-80 km/h (s)	8.6	7.5 7.8
Acceleration 0-100 km/h (s)	13.3	11.3 11.2
Acceleration 80-120 km/h (s)	12.6	10.9 11.2
Acceleration 1000 m (s)	35.1	33.3 33.9
Fuel consumption		
Urban (l/100 km)	-	-
Extra urban (l/100 km)	-	-
Combined (l/100 km)	-	-
Combined WLTP Range (l/100km)	-	-
CO₂ mass emission		
CO ₂ Urban (g/km)	-	-
CO ₂ Extra Urban (g/km)	-	-
CO ₂ Combined (g/km)	-	-
Transmission		
Gearbox type	MQ250-5F	MQ250-5F DQ200-7F
Ratios	I 3.778	3.778 3.500
	II 1.944	1.944 2.087
	III 1.185	1.185 1.343
	IV 0.816	0.816 0.933
	V 0.625	0.625 0.974
	VI -	- 0.778
	VII -	- 0.653
	R 3.600	3.600 3.721

Chassis	1.6 TDI 80 HP [59 kW] Start/Stop	1.6 TDI 95 HP [70 kW] Start/Stop DQ
Group 1 ratio	3.158	3158
Group 2 ratio	-	- 3.227
Group 3 ratio	-	- 4.176
Speed 1000 rpm in IV/V/VI/VII (km/h)	43.8 / 57.2 / - / -	27.3 / 35.9 / 45.0 / 53.6
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]	
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]	
Steering System	C-EPS (Column Electric Power System)	
Turning diameter (m)	10.6	-
Brake system	ESC Standard (including HHC, EBA, TCS, EDS, RKA, XDS), ABS Option for no EU6 Motor	
Front/Rear brake type	Ventilated front brakes/Drum-Disc brakes in rear axle	
Front brakes (mm)	Ø 276×24	Ø 276×24
Rear brakes (mm)	TB 203×38	TB 228×42
Wheels		
Rims	5Jx14 ET38 5.5Jx15 ET40 6.5Jx16 ET47 7Jx17 ET51 7Jx18 ET51	5Jx14 ET38 5.5Jx15 ET40 6.5Jx16 ET47 7Jx17 ET51 7Jx18 ET51
Tyres	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL
Dimensions		
Body type	5D	
Length/width/height (mm)	4,059/1,780/1,444	
Wheelbase (mm)	2,564	
Track front/rear (mm)	1,525/1,505	
Boot capacity (l)	355	
Fuel tank capacity (l)	40	
Weights		
In running order with driver (kg)	1,252	1,256 1,275
Maximum weight with driver (kg) Front/Rear	792/460	792/460 812/463
Maximum weight allowed (kg)	1,670-1,750*	1,670-1,750* 1,690-1,770*
Maximum weight without brake (kg)	620	620 630
Maximum weight w/brake 8% (kg)	1,200	1,200
Maximum weight w/brake 12% (kg)	1,000	1,100

*MMTA varies according to trim.

Engine specs.

Please remember that homologated CO₂ emission values and vehicles can't be communicated before you receive the commercial release bulletin, uploaded to CAP by Product Marketing department. You will find the homologated CO₂ values in the technical specification sheets, uploaded as well to CAP.

Engine	1.6 TDI 115 HP (85 kW) Start/Stop	
Cylinder/Valve (total)	4/16	
Displacement (cc)	1598	
Cylinder bore and stroke (mm)	79.5x80.5	
Compression ratio	16.2	
Maximum power (kW [HP]/rpm)	85 (115)/3,250-4,000	
Maximum torque (Nm/rpm)	250/1,500-3,200	
Fuel supply system	Direct injection: Common Rail	
Ignition	Compressed ignition	
Atmospheric/Supercharged	Turbocharged	
Fuel type	Diesel	
Oil capacity in initial fill (l)	5	
Alternator (A)	110A /140A (8GG/8GU)	
Battery (Ah/A)	70Ah (JOV)	
Performance		
Maximum speed (km/h)	195 (6 ^a)	
Acceleration 0-80 km/h (s)	6.6	
Acceleration 0-100 km/h (s)	10.0	
Acceleration 80-120 km/h (s)	15.6	
Acceleration 1000 m (s)	31.9	
Fuel consumption		
Urban (l/100 km)	-	
Extra urban (l/100 km)	-	
Combined (l/100 km)	-	
Combined WLTP Range (l/100km)	-	
CO ₂ mass emission		
CO ₂ Urban (g/km)	-	
CO ₂ Extra Urban (g/km)	-	
CO ₂ Combined (g/km)	-	
Transmission		
Gearbox type	MQ250-6F	
Ratios	I	3.778
	II	1.944
	III	1.269
	IV	0.971
	V	0.773
	VI	0.625
	VII	-
	R	3.6

Chassis	1.6 TDI 115 HP (85 kW) Start/Stop
Group 1 ratio	3.158
Group 2 ratio	-
Group 3 ratio	-
Speed 1000 rpm in IV/V/VI/VII (km/h)	27.3/35.9/45.0/53.6
Front suspension	Independent type McPherson - coil springs - hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]
Rear suspension	Semirigid axle, coil springs and hydraulic shock absorber [Variable shock absorber settings (switchable shock absorber)]
Steering System	C-EPS (Column Electric Power System)
Turning diameter (m)	10.6
Brake system	ESC Standard (including HHC, EBA, TCS, EDS, RKA, XDS), ABS Option for no EU6 Motor
Front/Rear brake type	Ventilated front brakes/Drum-Disc brakes in rear axle
Front brakes (mm)	Ø 276x24
Rear brakes (mm)	Ø 230x9
Wheels	
Rims	5Jx14 ET38 5.5Jx15 ET40 6.5Jx16 ET47 7Jx17 ET51 7Jx18 ET51
Tyres	185/70 R14 88H 185/65 R15 88H 185/65 R15 88V 195/55 R16 91V XL 215/45 R17 91W XL 215/40 R18 91W XL
Dimensions	
Body type	5D
Length/width/height (mm)	4,059/1,780/1,444
Wheelbase (mm)	2,564
Track front/rear (mm)	1,525/1,505
Boot capacity (l)	355
Fuel tank capacity (l)	40
Weights	
In running order with driver (kg)	1,262
Maximum weight with driver (kg) Front/Rear	798/464
Maximum weight allowed (kg)	1,680/1,760*
Maximum weight without brake (kg)	620
Maximum weight w/brake 8% (kg)	1,200
Maximum weight w/brake 12% (kg)	1,200


*MMTA varies according to trim.

Engine specs.

Please remember that homologated CO₂ emission values and vehicles can't be communicated before you receive the commercial release bulletin, uploaded to CAP by Product Marketing department. You will find the homologated CO₂ values in the technical specification sheets, uploaded as well to CAP.

	Reference	Style	Xcellence	FR
Petrol				
1.0 MPI 65 HP (48 kW) Start/Stop	○	-	-	-
1.0 MPI 80 HP (59 kW) Start/Stop	○	○	○	-
1.0 EcoTSI 95 HP (70 kW) Start/Stop	○	○	○	○
1.0 EcoTSI 115 HP (85 kW) Start/Stop	-	○	○	○
1.0 EcoTSI 115 HP (85 kW) DQ Start/Stop	○	○	○	○
1.5 EcoTSI 150 HP (110 kW) Start/Stop	-	-	-	○
TGI				
1.0 TGI 90 HP (66 kW) Start/Stop	○	○	○	○
Diesel				
1.6 TDI 80 HP (59 kW) Start/Stop	○	○	○	○
1.6 TDI 95 HP (70 kW) Start/Stop	○	○	○	○
1.6 TDI 95 HP (70 kW) DQ Start/Stop	○	○	○	○
1.6 TDI 115 HP (85 kW) Start/Stop	-	○	○	○

Dimensions.



○ Optional
- Not available



SEAT is committed to a policy of continuous product development and reserves the right to make changes to specifications, colours and prices without notice. The information in this brochure can therefore be given as guidance only. While SEAT makes every effort to ensure that specifications are accurate at the time of publication, you should always check with your authorised SEAT Partner for the latest information. Due to limitations of the printing process the colours reproduced in this brochure may vary slightly from the actual paint colour and material. This vehicle and all its parts, as well as the original spares, were designed according to the Legal Regulations governing the prevention and minimisation of Environmental Impact, through the use of recycled/recyclable materials, with measures taken to achieve suitable recycling for the conservation and improvement of environmental quality.